

**A stainless steel finished, canopy rangehood with slide controls, 600mm in width, with a 3 speed single centrifugal fan.**

RRP NZ \$679.00



## Product Details

### FEATURES

---

Stainless steel finish

Slide controls

Washable filters

3 fan speed options

---

Auto thermal cutout safety switch

Optional carbon filter(s)

Recirculating option (Kit AR500RK)

Optional Extra Length Flue Cover (AR500FS)

---

### BENEFITS

---

**Removes odours and steam while cooking**  
 Chef rangehoods are designed to remove unwanted odours and greasy steam during cooking, keeping the kitchen fresher and cleaner.

**Flexible Installation options**  
 Chef provides additional flexibility when installing your rangehood with the option to recirculate or duct

---

**Keeping the air clean**  
 Carbon filters given the extra odour filtration required when ducted installation is not an option for your kitchen

**Easy to maintain**  
 Filters are easy to remove and can be washed in the dishwasher

---

# Specifications

## PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Nominal width	600
Finish of Rangehood	stainless steel

## DIMENSIONS

Total product height (mm)	230
Total product width (mm)	600
Total product depth (mm)	500
Diameter of ducting (mm)	125
Minimum installation height from cooking surface Gas (mm)	650

## MOTOR/FAN

Number of fans	2
Number of fans speeds	3
Type of motor	centrifugal
Maximum airflow M3/Hr	550
Noise level dB high	55
Noise level dB low	48

## CONTROLS

Control panel	switch and slide
Safety/ display indicators	auto thermal cutout safety switch

## DIMENSIONS

Minimum installation height from cooking surface Electric (mm)	650
Maximum canopy chimney height (mm)	1240
Flue cover depth (mm)	165
Flue cover width (mm)	222

## FILTERS

Number of filters	2
Type of filter	multi layer with stainless steel covers
Dishwasher safe	Yes

## LIGHTS

Number of lights	2
Wattage of light	40
Type of light	incandescent

## DUCTING / RECIRCULATION

Ducting	yes
Top or rear duct hole	top
Recirculation option	No
Optional extension flue	Yes

## DUCTING / RECIRCULATION

---

Length of extension flue      1100

---

# Terms and Conditions

## IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

## PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

## WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)