


**Serie | 6, Gas hob, 60 cm, Stainless steel
PCI6A5B90A**



Included accessories

- 1 x cross support for espresso
- 1 x WOK attachment ring

The stainless-steel gas cooktop with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- Low profile stainless steel cooking surface is easily accessible and quick to clean.
- **Sword knobs:** for an ergonomic control.
- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.

Technical Data

| | |
|---|--|
| Product name/family : | gas hob w integrated controls |
| Construction type : | Built-in |
| Energy input : | Gas |
| Total number of positions that can be used at the same time : | 4 |
| Type of control setting devices : | sword knobs |
| Required niche size for installation (HxWxD) : | 45 x 560-562 x 480-492 |
| Width of the appliance : | 582 |
| Dimensions : | 45 x 582 x 520 |
| Dimensions of the packed product (HxWxD) (mm) : | 141 x 651 x 578 |
| Net weight (kg) : | 11.792 |
| Gross weight (kg) : | 12.7 |
| Residual heat indicator : | without |
| Location of control panel : | Hob front |
| Basic surface material : | Stainless steel |
| Color of surface : | Stainless steel |
| Color of frame : | Stainless steel |
| Approval certificates : | Australia Standards, Australia Standards |
| Length electrical supply cord (cm) : | 100 |
| EAN code : | 4242002914220 |
| Electrical connection rating (W) : | 1 |
| Gas connection rating (W) : | 9750 |
| Current (A) : | 3 |
| Voltage (V) : | 220-240 |
| Frequency (Hz) : | 50; 60 |



4 242002 914220

Serie | 6, Gas hob, 60 cm, Stainless steel PCI6A5B90A

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking results
thanks to nine precisely defined power
levels.**

Design

- Stainless steel
- Enamelled cast iron pan supports on non-scratch rubber feet

Comfort & Convenience

- FlameSelect (9 steps)
- Sword control knobs
- One hand electronic ignition

Size & Power

- 4 Gas Burners
- Dual wok burner
- Left: Wok burner up to 15 Mj/h (depending on gas type)
- Center rear: Standard burner up to 6.85 Mj/h
- Center front: Economy burner up to 4 Mj/h
- Right: Rapid burner up to 3 KW

Safety and Environment

- Flame failure device fitted to each individual burner
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)

Dimensions

- 60 cm width
- Installation measurements: 560 mm x 480 mm
- Power cord length: 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

**Serie | 6, Gas hob, 60 cm, Stainless steel
PCI6A5B90A**

